

Package: BinaryEMVS (via r-universe)

September 17, 2024

Title Variable Selection for Binary Data Using the EM Algorithm

Version 0.1

Description Implements variable selection for high dimensional datasets with a binary response variable using the EM algorithm. Both probit and logit models are supported. Also included is a useful function to generate high dimensional data with correlated variables.

Depends R (>= 3.1.3)

License GPL-3

LazyData true

RoxygenNote 5.0.1

NeedsCompilation no

Author John Snyder [aut, cre]

Maintainer John Snyder <jcs8v6@mail.missouri.edu>

Date/Publication 2016-01-13 08:49:37

Repository <https://john-snyder.r-universe.dev>

RemoteUrl <https://github.com/cran/BinaryEMVS>

RemoteRef HEAD

RemoteSha b3c216d1e6d5374394f4043d08b1312142f31db4

Contents

BinomialEMVS	2
data.sim	3
Index	5

Description

Conducts EMVS analysis

Usage

```
BinomialEMVS(y, x, type = "probit", epsilon = 5e-04, v0s = ifelse(type ==
  "probit", 0.025, 5), nu.1 = ifelse(type == "probit", 100, 1000),
  nu.gam = 1, lambda.var = 0.001, a = 1, b = ncol(x),
  beta.initial = NULL, sigma.initial = 1, theta.inital = 0.5, temp = 1,
  p = ncol(x), n = nrow(x), SDCD.length = 50)
```

Arguments

y	responses in 0-1 coding
x	X matrix
type	probit or logit model
epsilon	tuning parameter
v0s	tuning parameter, can be vector
nu.1	tuning parameter
nu.gam	tuning parameter
lambda.var	tuning parameter
a	tuning parameter
b	tuning parameter
beta.initial	starting values
sigma.initial	starting value
theta.inital	startng value
temp	not sure
p	not sure
n	not sure
SDCD.length	not sure

Value

probs is posterior probabilities

Examples

```

#Generate data
set.seed(1)
n=25;p=500;pr=10;cor=.6
X=data.sim(n,p,pr,cor)

#Randomly generate related beta coefficients from U(-1,1)
beta.Vec=rep(0,times=p)
beta.Vec[1:pr]=runif(pr,-1,1)

y=scale(X%*%beta.Vec+rnorm(n,0,sd=sqrt(3)),center=TRUE,scale=FALSE)
prob=1/(1+exp(-y))
y.bin=t(t(iffelse(rbinom(n,1,prob)>0,1,0)))

result.probit=BinomialEMVS(y=y.bin,x=X,type="probit")
result.logit=BinomialEMVS(y=y.bin,x=X,type="logit")

which(result.probit$posts>.5)
which(result.logit$posts>.5)

```

data.sim

High Dimensional Correlated Data Generation

Description

Generates an high dimensional dataset with a subset of columns being related to the response, while controlling the maximum correlation between related and unrelated variables.

Usage

```
data.sim(n = 100, p = 1000, pr = 3, cor = 0.6)
```

Arguments

n	sample size
p	total number of variables
pr	the number of variables related to the response
cor	the maximum correlation between related and unrelated variables

Value

Returns an $n \times p$ matrix with the first pr columns having maximum correlation cor with the remaining $p-pr$ columns

Examples

```
data=data.sim(n=100,p=1000,pr=10,cor=.6)
max(abs(cor(data))[abs(cor(data))<1])
```

Index

BinomialEMVS, [2](#)

data.sim, [3](#)